READ ME FIRST

for Informix Dynamic Server
Version 7.3x for Fujitsu-Siemens Systems

About This Document

This document includes the following sections.

- System requirements for installing Informix Dynamic Server, Version 7.3x on Fujitsu-Siemens systems.
- Loading and installing Informix Dynamic Server, Version 7.3x on Fujitsu-Siemens systems.

System Requirements

Before loading and installing this product, please make sure that all system requirements mentioned on page 3 of the *Installation Guide for Informix Dynamic Server on UNIX* are fulfilled. In addition, make sure that the **/tmp** directory on the installation computer has enough room to accommodate the products.

Loading and Installing with the phgadd Utility

To load and install the database server

1. Log in as user **root**.
2. Load the media supplied with your software into the appropriate drive of your computer.
3. Enter one of the following commands:
   - To load from a tape device, enter:

     pkgadd -d tape_device

     where tape_device is the name of your tape drive.
   - To load from a CD-ROM, enter the following two command lines:

     mount -F hs -o dos device_file mount_directory

     pkgadd -d mount_directory/prodimag

     where **device_file** is the name of the CD-ROM and **mount_directory** is the directory where you mount the CD-ROM.
4. Enter the 11-character serial number. If you received your product material directly from Informix, this number appears on your serial-number key card. If you received your product materials from an ESD vendor, the vendor provides you with the serial number. After you press RETURN, the script prompts you to enter your activation key.
5. Enter the six-letter activation key. If you received your product material directly from Informix, this value appears on your serial-number key card. If you received your product materials from an ESD vendor, the vendor provides you with the value of the activation key.
6. The script then prompts you for an absolute pathname to the directory where you want to install the products. Enter the pathname and then press RETURN.
7. The script then prompts you to choose the role-separation option. For more information on role separation, see "Role Separation" on page 10 of the *Installation Guide for Informix Dynamic Server on UNIX*.